

論文 (1984-2007)

1. Takahashi, S. and Takabayashi, J. (1984) Host selection behavior of Anicetus beneficus Ishii et Yasumatsu (Hymenoptera: Encyrtidae). II. Bioassay of oviposition stimulants in Ceroplastes rubens Maskell (Hemiptera: Coccidae). Applied Entomology and Zoology 19:117-119.
2. Takabayashi, J. and Takahashi, S. (1985) Host selection behavior of Anicetus beneficus Ishii et Yasumatsu (Hymenoptera: Encyrtidae). III. Presence of oviposition stimulants in the scale wax of genus Ceroplastes. Applied Entomology and Zoology 20:173-178.
3. Takabayashi, J., Noda, T. and Takahashi, S. (1985) Effect of kairomones in the host searching behavior of Apanteles kariyai Watanabe (Hymenoptera: Braconidae), a parasitoid of the common armyworm Pseudaletia separata Walker (Lepidoptera: Noctuidae). I. Presence of arresting stimulants produced by the host larvae. Applied Entomology and Zoology 20:484-489.
4. Takabayashi, J. and Takahashi, S. (1986) Effect of kairomones in the host searching behavior of Apanteles kariyai Watanabe (Hymenoptera: Braconidae), a parasitoid of the common armyworm Pseudaletia separata Walker (Lepidoptera: Noctuidae). II. Isolation and identification of arrestants produced by the host larvae. Applied Entomology and Zoology 21:114-118.
5. Takabayashi, J. and Takahashi, S. (1986) Effect of kairomones in the host searching behavior of Apanteles kariyai Watanabe (Hymenoptera: Braconidae), a parasitoid of the common armyworm Pseudaletia separata Walker (Lepidoptera: Noctuidae). III. Synthesis and bioassay of arrestants and related compounds. Applied Entomology and Zoology 21:519-524.
6. Takabayashi, J. and Takahashi, S. (1988) Effect of kairomone on the parasitization rates of Apanteles kariyai to Pseudaletia separata. Journal of Pesticide Science 13:283-286.
7. Takahashi, S. Takegawa, H., Takabayashi, J., Abudulla, M., Fatimah, A. S. and Mohamed, H. (1988) Sex pheromone activity of synthetic Periplanone-B in male cockroaches of genera Periplaneta and Blatta. Journal of Pesticide Science 13:125-127.
8. Takabayashi, J. and Takahashi, S. (1989) Effects of host fecal pellet and synthetic kairomone on host-searching and postoviposition behavior of Apanteles kariyai, a parasitoid of Pseudaletia separata. Entomologia Experimentalis et Applicata 52:221-227.
9. Dicke, M., van der Maas, K.-Y., Takabayashi, J. and Vet, L. E. M. (1990) Learning affects responses to volatile allelochemicals by predatory mites. In (M. J. Sommeijer & J. van de Brom eds) Proceedings of the section Experimental & Applied Entomology of the Netherlands Entomological Society 1:31-36.
10. Takahashi, S., Hajika, M., Takabayashi, J. and Fukui, M. (1990) Oviposition stimulants in the Coccid cuticular waxes of Aphytes yanonensis De Bach & Rosen. Journal of Chemical Ecology 16:1657-1665.
11. Takabayashi, J. and Takahashi, S. (1990) An allelochemical elicits arrestment in Apanteles kariyai in frass of nonhost larvae Acantholeucania loreyi. Journal of Chemical Ecology 16:2009-2017.
12. Dicke, M., Sabelis, M. W., Takabayashi, J., Bruin, J. and Posthumus, M. A. (1990) Plant strategies of manipulating predator-prey interactions through allelochemicals: prospects for application in pest control. Journal of Chemical Ecology 16:3091-3118.
13. Sugimoto, T., Minkenberg, O. P. J. M., Takabayashi, J., Dicke, M. and Lenteren, J. C. (1990) Foraging for patchily-distributed leaf miners by the parasitic wasp, Dacnusa sibirica. Researches on Population Ecology 32:381-389.

14. Takabayashi, J., Dicke, M., Kemmerink, J. and Veldheusen, T. (1990) Environmental effects of production of a plant synomone that attracts predatory mites. In (T. Jermy & A. Szentesi, eds) *Symposia Biologia Hungarica*. vol. 39:541-542
15. Dicke, M., Sabelis, M. W. and Takabayashi, J. (1990) Do plants cry for help? Evidence related to a tritrophic system of predatory mites, spider mites and their host plants. In (T. Jermy & A. Szentesi, eds) *Symposia Biologia Hungarica*. vol. 39:127-134.
16. Takabayashi, J., Dicke, M. and Posthumus, M. A. (1991) Induction of indirect defense against spider mites in uninfested Lima bean leaves. *Phytochemistry* 30:1459-1462.
17. Takabayashi, J., Noda, T. and Takahashi, S. (1991) Plants produce attractants for Apanteles kariyai, a parasitoid of Pseudaletia separata: cases of "communication" and "misunderstanding" in parasitoid-plant interactions. *Applied Entomology and Zoology* 26:237-243.
18. Bruin, J., Sabelis, M. W., Takabayashi, J. and Dicke, M. (1991) Uninfested plants profit from their infested neighbors. In (M. J. Sommeijer & J. van de Brom eds) *Proceedings of the section Experimental & Applied Entomology of the Netherlands Entomological Society* 2:103-108.
19. Takabayashi, J., Dicke, M. and Posthumus, M. A. (1991) Variation in composition of predator-attracting allelochemicals emitted by herbivore-infested plants: relative influence of plant and herbivore. *Chemoecology* 2:271-277.
20. Dicke, M. and Takabayashi, J. (1991) Specificity of induced indirect defense of plants against herbivores. *REDIA* 74:105-113.
21. Takabayashi, J. and Dicke, M. (1992) Response of predatory mites with different rearing histories to volatiles of uninfested plants. *Entomologia experimentalis et applicata* 64:187-193.
22. Kim, G.-H., Takabayashi, J., Takahashi, S. and Tabata, K. (1992) Function of pheromones in mating behavior of the Japanese pine beetle, Monochamus alternatus Hope. *Applied Entomology and Zoology* 27:489-497.
23. Takabayashi, J. and Takahashi, S. (1993) Role of the scale wax of Ceroplastes ceriferus Anderson (Hemiptera: Coccidae) as a defense against the parasitic wasp Anicetus ceroplastis Ishii (Hymenoptera: Encyrtidae). *Journal of Insect behavior* 6:107-115.
24. Kim, G.-H., Takabayashi, J., Takahashi, S. and Tabata, K. (1993) Function of contact pheromone in the mating behavior of Semanotus japonicus. *Applied Entomology and Zoology* 28:525-535.
25. Takabayashi, J. and Dicke, M. (1993) Volatile allelochemicals that mediate interactions in a tritrophic system consisting of predatory mites, spider mites and plants. In (H. Kawanabe, J. E. Cohen and K. Iwasaki, eds) *Mutualism and community organization. Behavioural, theoretical and foodweb approaches*. 280-295. Oxford University Press, London.
26. Takabayashi, J., Dicke, M., Takahashi, S. and Posthumus, M. A. (1994) Leaf age affects composition of herbivore-induced synomones and attraction of predatory mites. *Journal of Chemical Ecology* 20:373-386.
27. Takabayashi, J., Dicke, M. and Posthumus, M. A. (1994) Volatile herbivore-induced terpenoids in plant-mite interactions: variation caused by biotic and abiotic factors. *Journal of Chemical Ecology* 20:1324-1354.
28. Takabayashi, J., Takahashi, S., Dicke, M. and Posthumus, M. A. (1995) Developmental

stage of the herbivore Pseudaletia separata affects production of herbivore-induced synomone by corn plants. *Journal of Chemical Ecology* 21: 273-287

29. Ohara, Y., Takabayashi, J. and Takahashi, S. (1996) Oviposition kairomone in the cuticular wax of host larvae, Pseudaletia separata, toward its parasitic wasp, Cotesia kariyai. *Applied Entomology and Zoology* 31: 271-277

30. Takabayashi, J. and Dicke, M. (1996) Plant-carnivore mutualism through herbivore-induced carnivore attractants. *Trends in Plant Science* 1: 109-113

31. Horikoshi, M., J. Takabayashi, R. Yamaoka, S. Yano, N. Ohsaki and Y. Sato (1997) Cotesia glomerata female wasps use fatty acids from plant-herbivore complex in host searching. *Journal of Chemical Ecology* 23: 1505-1515

32. Shimoda, T., Takabayashi, J., Ashihara, W. and Takafuji, A. (1997) Response of predatory insects Scolothrips takahashii toward herbivore-induced plant synomone in both laboratory and field conditions. *Journal of Chemical Ecology* 23: 2033-2048

33. Takabayashi, J., Sato, Y., Horikoshi, M., Yamaoka, R., Yano, S., Ohsaki, N. and Dicke, M. (1998) Plant Effects on Parasitoid Foraging: Differences among Two Tritrophic Systems. *Biological Control* 11: 97-103

34. Dicke, M., Takabayashi, J., Posthumus, M. A., Shutte, C., Krips, O. E. (1998) Plant-phytoseiid interactions mediated by herbivore-induced plant volatiles: variation in production of cues and in response of predatory mites. *22*: 311-333

35. Yano, S., Wakabayashi, M., Takabayashi, J. and Takafuji, A. (1998) Factors determining the host range of the phytophagous mite, Tetranychus urticae (Acari: Tetranychidae): a method for quantifying host acceptance. *Experimental and Applied Acarology* 22: 595-601

36. Maeda, T., Takabayashi, J., Yano, S. and Takafuji, A. (1998) Factors affecting the resident time of the predatory mite Phytoseiulus persimilis (Acari: Phytoseiidae) in a prey patch *Applied Entomology and Zoology* 33: 573-576

37. Dicke, M., Takabayashi, J., Shutte, C., Krips, O. E. (1998) Behavioural ecology of plant-carnivore interactions: variation in response of phytoseiid mites to herbivore-induced plant volatiles. In (J. Bruin, van der Geest, M. W. Sabelis, eds) *Ecology and Evolution of the Acari*. Pp 251-268

38. Sato, Y., Yano, S., Takabayashi, J. and Ohsaki, N. (1999) Pieris rapae (Lepidoptera: Pieridae) females avoid oviposition on Rorippa indica plants infested by conspecific larvae. *Applied Entomology and Zoology* 34: 333-337

39. Maeda, T., Takabayashi, J., Yano, S. and Takafuji, A. (1999) Response of the predatory mite, Amblyseius womersleyi (Acari: Phytoseiidae), toward herbivore-induced plant volatiles: variation in response between two local populations. *Applied Entomology and Zoology* 34: 449-454

40. Sato, Y., Takabayashi, J., Yano, S. and Ohsaki, N. (1999) Effect of herbivore species on host searching of a parasitoid, Cotesia glomerata (Hymenoptera: Braconidae). *Applied Entomology and Zoology* 34: 459-461

41. Takabayashi, J., Dicke, M., Posthumus, M. A. and Takahashi, S. (1999) Inter and intraspecific variation in composition of herbivore-induced synomones that attract predatory mites. In (G. R. Needham, R. Mitchell, D. J. Horn, W. C. Erlbourn eds) *Acarology IX Symposia*. Ohio Biological Survey. pp 239-244

42. Shiojiri, K., Takabayashi, J., Yano, S. and Takafuji A. (2000) Flight response of parasitoid toward plant-herbivore complexes: a comparative study of two parasitoid-herbivore systems on cabbage plants. *Applied Entomology and Zoology* 35: 87-92.
43. Takabayashi, J., Sato, Y., Yano, S. and Ohsaki, N. (2000) Presence of oily droplets from the dorsal setae of Pieris rapae larvae. *Applied Entomology and Zoology*. 35: 115-118
44. Fujiwara, C., Takabayashi, J. and Yano, S. (2000) Effects of host-food plant species on parasitization rates of Mythimna separata (Lepidoptera: Noctuidae) by a parasitoid, Cotesia kariyai (Hymenoptera: Braconicae). *Applied Entomology and Zoology* 35: 131-136
45. Ozawa, R., Arimura, G., Takabayashi, J., Shimoda, T., and Nishioka, T. (2000) Involvement of jasmonate- and salicylate-related signaling pathways for the production of specific herbivore-induced volatiles in plants. *Plant and Cell Physiology*. 41: 391-398
46. Arimura, G., Ozawa, R., Shimoda, T., Nishioka, T., Boland, W. and Takabayashi, J. (2000) Herbivory-induced volatiles elicit defence genes in lima bean leaves. *Nature* 6795: 512-515
47. Ikegami, Y., Yano, S., Takabayashi, J. and Takafuji, A. (2000) Function of quiescence of Tetranychus kanzawai (Acari: Tetranychidae), as a defense mechanism against rain. *Applied Entomology and Zoology* 35: 339-343
48. Maeda, T., Takabayashi, J., Yano, S. and Takafuji, A. (2000) The effects of rearing conditions on the olfactory response of predatory mites, Phytoseiulus persimilis and Amblyseius womersleyi (Acari: Phytoseiidae) *Applied Entomology and Zoology*. 35: 345-351
49. Arimura, G., Nishioka, T., Tashiro, K., Kuhara, S. and Takabayashi, J. (2000) Gene responses in bean leaves induced by herbivory and by herbivore-induced volatiles. *Biochemical Biophysical Research Communication* 277: 305-310
50. Suzuki, Y., Takabayashi, J. and Tanaka, H. (2000) Investigation of an ecological system by using an abstract rewriting system on multisets. In (Gh. Paun, ed) *Recent Topics in Mathematical and Computational Linguistics*. The Publ. House of the Romanian Academy, Bucharest, 300 - 309.
51. Shiojiri, K., Takabayashi, J., Yano, S. and Takafuji A. (2000) Herbivore-species-specific interactions between crucifer plants and parasitic wasps (Hymenoptera: Braconidae) that are mediated by infochemicals present in areas damaged by herbivores *Applied Entomology and Zoology*. 35: 519-524.
52. Fujiwara, C., Takabayashi, J. and Yano, S. (2000) Oviposition experience on a host-infested plant affects flight and antennal searching behavior of Cotesia kariyai toward the host-plant complex. *Entomologia Experimentalis et Applicata* 97: 251-256
53. Takabayashi, J., Shimoda, T., Dicke, M., Ashihara, W. and Takafuji, A.. (2000) Induced response of tomato plants against injury by green and red strains of Tetranychus urticae *Experimental and Applied Acarology* 24: 377-383
54. Ozawa, R., Shimoda, T., Kawaguchi, M., Arimura, G., Nishioka, T. and Takabayashi, J. (2000) Lotus japonicus infested with herbivorous mites emits volatile compounds that attract predatory mites. *Journal of Plant Research* 113: 427-433
55. Maeda, T., Takabayashi, J., Yano, S. and Takafuji, A. (2001) Effects of light on the tritrophic interaction between kidney bean plants, two-spotted spider mites and predatory mites, Amblyseius womersleyi (Acari: phytoseiidae).

Experimental and Applied Acarology 24: 415-425

56. Maeda, T. and Takabayashi, J. (2001) Production of herbivore-induced plant volatiles and their attractiveness to Phytoseiulus persimilis (Acari: Phytoseiidae) with changes of Tetranychus urticae (Acari: Tetranychidae) density on a plant.

Applied Entomology and Zoology 36: 47-52

57. Shimoda, T. and Takabayashi, J. (2001) Migration of specialist insect predators to exploit patchily distributed spider mites.

Population Ecology 43: 15-21

58. Shiojiri, K., Takabayashi, J., Yano, S. and Takafuji, A. (2001) Infochemically mediated tritrophic interaction webs on cabbage plants.

Population Ecology 43: 23-29

59. 鈴木泰博、高林純示、田中博 (2001) 抽象化学系とその生物系への応用に関する研究

医療情報学 20(6): 503-512

60. Maeda, T., Takabayashi, J., Yano, S. and Takafuji, A. (2001) Variation in the olfactory response of 13 populations of the predatory mite, Amblyseius womersleyi to Tetranychus urticae-infested plant volatiles (Acari: Phytoseiidae, Tetranychidae)

Experimental and Applied Acarology 25: 55-62

61. Yano, S., Takabayashi, J. and Takafuji, A. (2001) Trade-offs in performance on different plants may not restrict the host plant range of the phytophagous mite, Tetranychus urticae Koch.

Experimental and Applied Acarology 25: 371-381

62. Takahashi, H., Takafuji, A., Takabayashi, J., Yano, S. and Shimoda, T. (2001) Seasonal occurrences of specialist and generalist insect predators of spider mites and their response to volatiles from plants infested with spider mites in Japanese pear orchards.

Experimental and Applied Acarology 25: 393-402

63. Fukushima, J., Kainoh, Y., Honda, H. and Takabayashi, J. (2001) Learning of host-infested plant volatiles in Cotesia kariyai Watanabe.

Entomologia Experimentalis et Applicata 99: 341-346

64. 高橋英夫、高藤晃雄、高林純示 (2001) 粘着トラップによるハダニ天敵昆虫類調査法 —ハダニ低密度圃場における有効性評価と合成植物揮発性成分が捕獲数に与える影響—

日本応用動物昆虫学会誌 45: 189-194

65. Arimura, G., Ozawa, R., Horiuchi, J., Nishioka, T. and Takabayashi, J. (2001) Plant-Plant Interactions Mediated by Volatiles Emitted from Plants Infested by Spider Mites.

Biochemical Systematic and Ecology 29: 1049-1061

66. Shimoda, T. and Takabayashi, J. (2001) Response of Oligota kashimirika benefica, a specialist predator of spider mites, to prey-infested lima bean volatiles under both laboratory and field conditions.

Entomologia Experimentalis et Applicata 101: 41-47

67. Maeda, T. and Takabayashi, J. (2001) Patch leaving decision of the predatory mite Amblyseius womersleyi (Acari: Phytoseiidae) based on multiple information from both inside and outside a prey patch.

Journal of Insect Behavior 14 : 829-839

68. Suzuki, T., Fujiwara, Y., Takabayashi, J. and Tanaka, H. (2001) Artificial life applications of

a class of P systems: abstract rewriting systems on multisets. Lecture Notes on Computer Science. Springer Verlag

69. Horiuchi, J., Arimura, G., Ozawa, R., Shimoda, T., Takabayashi, J. and Nishioka, T. (2001) Exogenous ACC enhances volatile production mediated by jasmonic acid in lima bean leaves. *FEBS letters* 509: 332-336
70. Takabayashi, J. and Arimura, G. (2001) Do plants communicate with each other via airborne signals? *AgroBiotechNet* 3: ABN065
71. Fukushima, J., Kainoh, Y., Honda, H. and Takabayashi, J. (2002) Learning herbivore-induced and unspecific plant volatiles by a parasitoid Cotesia kariyai *Journal of Chemical Ecology* 28: 563-567
72. Shiojiri, K., Takabayashi, J., Yano, S. and Takafuji, A. (2002) Oviposition preference by herbivores is affected by tritrophic interaction networks. *Ecology Letters* 5: 1-7
73. Arimura, G., Ozawa, R., Horiuchi, J., Nishioka, T. and Takabayashi, J. (2002) Herbivore-induced volatiles induce the emission of ethylene in neighboring lima bean plants. *The Plant Journal* 29: 87-98
74. Shimoda, T., Ozawa, R., Arimura, G., Takabayashi, J. and Nishioka, T. (2002) Olfactory responses of two specialist insect predators of spider mites toward plant volatiles from lima bean leaves induced by jasmonic acid and/or methyl salicylate. *Applied Entomology and Zoology* 37: 535-541
75. Henneman, M. L., Dyyreson, E. G., Takabayashi, J. and Raguso, R. A. (2002) Response of walnut olfactory and visual cues by the parasitic wasps Diachasminorpha juglandis (Braconidae) *Journal of Chemical Ecology* 28: 2221-2244
76. Fäldt, J., Arimura, G., Gershenzon, J., Takabayashi, J. and Bohlmann, J. (2003) Functional identification of AtTPS03 as (E)- α -ocimene synthase: a new monoterpene synthase catalyzing jasmonate- and wound-induced volatile formation in Arabidopsis thaliana *Planta* 216: 745-751
77. Ohara, Y., Takafuji, A. and Takabayashi, J. (2003) Response of females of Diadegma semiclausum Hellen (Hymenoptera: Ichneumonidae) to host-infested plant. *Applied Entomology and Zoology* 38: 157-162
78. Horiuchi, J., Arimura, G., Ozawa, R., Shimoda, T., Takabayashi, J., and Nishioka, T. (2003) Comparison in response of Tetranychus urticae (Acari: Tetranychidae) and Phytoseiulus persimilis (Acari: Phytoseiidae) to volatiles emitted from lima bean leaves with different level of damages made by T. urticae or Spodoptera exigua (Lepidoptera: Noctuidae). *Applied Entomology and Zoology* 38: 109-116
79. Ohara, Y., Takafuji, A. and Takabayashi, J. (2003) Factors affecting the patch-leaving decision of the parasitic wasp Diadegma semiclausum (Hymenoptera: Ichneumonidae). *Applied Entomology and Zoology* 38: 211-214
80. Horiuchi, J., Arimura, G., Ozawa, R., Shimoda, T., Takabayashi, J., and Nishioka, T. (2003) Lima bean leaves exposed to herbivore-induced conspecific plant volatiles attract herbivores in addition to carnivores. *Applied Entomology and Zoology* 38: 365-368
81. Shiojiri, K. and Takabayashi, J. (2003) Effects of specialist parasitoids on oviposition

preference of phytophagous insects: encounter-dilution effects in a tritrophic interaction. *Ecological Entomology* 28: 573-578

82. Choh, Y., Ozawa, R. and Takabayashi, J. (2004) Effects of exogenous Jasmonic acid and benzo (1,2,3) thiadiazole-7-carbothioic acid S-methyl ester (BTH), a functional analogue of salicylic acid, on the egg production of a herbivorous mite *Tetranychus urticae* (Acari: Tetranychidae). *Applied Entomology and Zoology* 39: 313-316

83. Choh, Y., Shimoda, T., Ozawa, R., Dicke, M. and Takabayashi, J. (2004) Exposure of lima bean leaves to volatiles from herbivore-induced conspecific plants results in emission of carnivore attractants: active or passive process? *Journal of Chemical ecology* 30: 1797-1808

84. Ozawa, R., Shiojiri, K., Sabelis, M. W., Arimura, G., Nishioka, T. and Takabayashi, J. (2004) Corn plants treated with jasmonic acid attract more specialist parasitoids, thereby increasing parasitization of the common armyworm. *Journal of Chemical Ecology* 30: 1305-1317

85. Arimura, G., Ozawa, R., Kugimiya, S., Takabayashi, J. and Bohlmann, J. (2004) Herbivory induced *de novo* synthesis of (E)- β -ocimene in a model legume, *Lotus japonicus*. *Plant Physiology* 135: 1976-1983

86. Kawabata, R., Uefune, M., Miike, T., Okabe, H., Takabayashi, J., Takagi, M. and Kai, S. (2004) Biophoton emission from kidney bean leaf infested with *Tetranychus kanzawai* Kishida. *Japanese Journal of Applied Physics* 43: 5646-5651

87. Mao-Lin Hou, Junji Takabayashi and Yooichi Kainoh (2005) Leaf age affects flight response of a parasitic wasp, *Cotesia kariyai*, to a plant-herbivore complex. *Applied Entomology and Zoology* 40: 113-117

88. Taro Maeda and Junji Takabayashi (2005) Effects of Past Foraging Experiences on Residence Time of the Predatory Mite *Amblyseius womersleyi* in a Prey Patch *Journal of Insect Behavior* 18: 323-333

89. Kaori Shiojiri & Junji Takabayashi (2005) Parasitoid preference for host-infested plants is affected by the risk of intraguild predation. *Journal of Insect Behavior* 18: 565-574

90. Kyutaro Kishimoto, Kenji Matsui, Rika Ozawa and Junji Takabayashi (2005) Volatile C6-aldehydes and Allo-ocimene Activate Defense Genes and Induce Resistance against *Botrytis cinerea* in *Arabidopsis thaliana*. *Plant Cell and Physiology* 46 (7): 1093-1102

91. Shimoda Takeshi, Rika Ozawa, Kohta Sano, Eizi Yano and Junji Takabayashi (2005) The involvement of volatile infochemicals from spider mites and from food-plants in prey location of the generalist predatory mite *Neoseiulus californicus* *Journal of Chemical Ecology* 31: 2019-2032

92. Kaori Shiojiri & Junji Takabayashi (2005) Effects of oil droplets by *Pieris* caterpillars against generalist and specialist carnivores. *Ecological Research* 20: 695-700

93. Yasuyuki Choh, Soichi Kugimiya, and Junji Takabayashi (2006) Induced production of extrafloral nectar in intact lima bean plants in response to volatiles from spider mite-infested conspecific plants as a possible indirect defense against spider mites. *Oecologia* 147:455-460

94. Junji Takabayashi, Maurice Sabelis, Arne Janssen, Kaori Shiojiri and Michiel van Wijk. (2006) Can plants betray the presence of multiple herbivore species to predators and parasitoids? The role of learning in phytochemical information networks. *Ecological Research* 21: 3-8
95. Kyutaro Kishimoto, Kenji Matsui, Rika Ozawa and Junji Takabayashi (2006) Components of C6-aldehyde-induced resistance in *Arabidopsis thaliana* against a necrotrophic fungal pathogen, *Botrytis cinerea* *Plant Science* 170: 715-723
96. Kaori Shiojiri, Rika Ozawa, Kenji Matsui, Kyutaro Kishimoto, Soichi Kugimiya and Junji Takabayashi (2006) Role of lipoxygenase/lyase pathway of host-food plants in host searching behavior of two parasitoid species, *Cotesia glomerata* and *Cotesia plutellae* (Hymenoptera: Braconidae). *Journal of Chemical Ecology* 32: 969-979
97. Shiojiri, K., Ozawa, R. and Takabayashi, J. (2006) Plant volatiles, rather than light, determine the nocturnal behavior of a caterpillar *PLoS Biology* 4: 1044-1047
98. Kishimoto, K., Matsui, K., Ozawa, R. and Takabayashi, J. (2006) Analysis of defensive responses activated by volatile allo-ocimene treatment in *Arabidopsis thaliana*. *Phytochemistry* 67: 1520-1529
99. Kishimoto, K., Matsui, K., Ozawa, R. and Takabayashi, J. (2006) ETR1-, JAR1- and PAD2-dependent signaling pathways are involved in C6-aldehyde-induced defense responses of *Arabidopsis*" *Plant Science* 171: 415-423
100. Choh, Y. and Takabayashi, J. (2006) Intact lima bean plants exposed to herbivore-induced plant volatiles attract predatory mites and spider mites at different levels according to plant parts. *Applied Entomology and Zoology* 41: 537-542
101. Choh, Y. and Takabayashi, J. (2006) Herbivore-induced extrafloral nectar production in lima bean plants enhanced by previous exposure of volatiles from infested conspecifics. *Journal of Chemical Ecology* 2 (9): 2073-2077
102. Matsushima, R., Ozawa, R., Uefune, M., Goto, T. and Takabayashi, J. (2006) Intraspecific variation in Kanzawa spider mites differentially affects induced defense response in lima bean plants. *Journal of Chemical Ecology* 32 (11): 2501-2512
103. Shiojiri, K., Kishimoto, K., Ozawa, R., Kugimiya, S., Urashimo, S., Arimura, G., Horiuchi, J., Nishioka, T., Matsui, K., and Takabayashi, J. (2006) Changing green leaf volatiles biosynthesis in plants: an approach for improving plant resistance against both herbivores and pathogens. *Proceedings of Natural Academy of Science, USA* 103: 16672-16676
104. Choh, Y. and Takabayashi, J. (2007) Predator avoidance in phytophagous mites: response to present danger depends on alternative host quality. *Oecologia* 151: 262-267.
105. Choh, Y. and Takabayashi, J. (2007) Timing of two indirect plant defenses primed by exposure to herbivore-induced plant volatiles. *Plant Signaling & Behavior*: 1: 13-14
106. 安部順一郎、浦野知、長坂幸吉、高林純示 (2007) ハウス栽培のコマツナを低密度で加害

するコナガに対するコナガサムライコマユバチの必要放飼率
近畿中国四国農業研究センター研究報告 6: 125-132

107. Kishimoto, K., Matsui, K., Ozawa, R. and Takabayashi, J. (2007) Volatile 1-octen-3-ol induces a defensive response in *Arabidopsis thaliana*. *J Gen Plant Pathol* 73:35-37

108. Horiuchi, J., Murio, A., Takabayashi, J. and Nishioka, T. (2007) Exposing *Arabidopsis* seedlings to borneol and bornyl acetate affects root growth: specificity due to the chemical and optical structures of the compounds.
Journal of Plant Interaction 2: 101-104

109. Maeda, T., Uefune, M. and Takabayashi, J. (2007) Genetic variations in a population of herbivorous mites *Tetranychus urticae* in the production of the induced volatiles by kidney bean plants
Journal of Plant Interaction 2: 89-92

110. Sabelis, M., J. Takabayashi, A. Janssen, M. Kant, M. van Wijk, B. Sznajder, N. Aratchige, I. Lesna, B. Belliure and R. Schuurink (2007) Ecology meets plant physiology: herbivore-induced plant responses and their indirect effects on arthropod communities. In *Ecological communities: plant mediation in indirect interaction webs* (Ohgushi, T., T. Craig and P. Price eds). Cambridge University Press, Cambridge. 188-217.